

BIANCO 280 MS PULL DOWN/AUTO DOWNFEED BANDSAW 415V

The Bianco bandsaws are manufactured totally in Italy with reliability and accuracy as the first consideration. All machines have modern cast bows in special alloys to ensure one of the highest precision bandsaw ranges available. The production models start at the popular 280M pull down detailed on the previous page and extend to automatic feeding machines with automatic mitring. Quality electrical components are fitted to all models and quiet hydraulic pumps and fittings ensure a long working life.

FEATURES

- Quick mitring swivel head up to 60°
- Fast cutting
- Cast bow construction
- Swarf brush
- Carbide blade guides for high accuracy
- 2 speed motor
- Coolant System
- Blade tension indicator
- Safety interlock switch fitted to bandwheel cover
- Material length stop
- Special feature, choose between instant pull down or switch to automatic gravity down feed with variable control

OPTIONS

- Blade speed variation
- Spray mist cooling system (requires compressor)
- Powered swarf brush
- Roller track and measuring systems

TECHNICAL INFORMATION

MODEL		280MS
Capacities		
Tube at 90°	mm	220
Square Section at 90°	mm	220
Rectangular Section / Beam at 90°	mm	260 x 140
Tube at 45°	mm	160
Square Section at 45°	mm	155
Rectangular Section / Beam at 45°	mm	160 x 140
Tube at 60°	mm	95
Square Section at 60°	mm	95
Rectangular Section / Beam at 60°	mm	95 x 95
Blade Size	mm	2450 x 27 x 0.9
Bed Height	mm	865
Cutting Speed	mm	35/70
Motor	kW	0.5 - 1.1
Length	mm	1200
Width	mm	800
Height	mm	1700
Weight	Kg	320
Operation		Pull Down / Auto Down
Vice		Manual

OTHER IMAGES

