

STERLING SRA230 A ROLLER FEED AUTOMATIC BAND SAW

The Sterling automatic band saw range starts with the SRA230 A and SRA320 A in a roller feed design. This system feeds the material to the length set on the stop system and continues feeding and cutting until the programmed number of cuts is reached. If there is not enough material to complete the job, then the machine detects this automatically and safely stops the operation.

FEATURES

- Automatic feed with roller vice
- Auto downfeed with variable cutting pressure
- Automatic bow return with height adjustment
- Manual vice
- Carbide blade guides for high accuracy
- Two cutting speeds
- Coolant system
- Safety interlock switches fitted to band cover

OPTIONS

- Spray mist cooling system (requires compressor)
- Roller track and measuring systems

TECHNICAL INFORMATION

MODEL	SRA230 A		
Capacities			
Tube at 90°	mm		230
Square Section at 90°	mm		230
Rectangular Section / Beam at 90°	mm		240 x 230
Blade Size	mm		2730 x 27 x 0.9
Bed Height	mm		590
Cutting Speed	m/min		35/70
Motor	kW		1.0/1.5
Length	mm		1700
Width	mm		1100
Height	mm		1300
Weight	Kg		370
Operation			Automatic
Vice			Manual

OTHER IMAGES

