

STERLING SRA320 A ROLLER FEED AUTOMATIC BAND SAW

The Sterling automatic band saw range starts with the SRA230 A and SRA320 A in a roller feed design. This system feeds the material to the length set on the stop system and continues feeding and cutting until the programmed number of cuts is reached. If there is not enough material to complete the job, then the machine detects this automatically and safely stops the operation.

FEATURES

- Automatic feed with roller vice
- Auto downfeed with variable cutting pressure
- Automatic bow return with height adjustment
- Manual vice
- Carbide blade guides for high accuracy
- Two cutting speeds
- Coolant system
- Safety interlock switches fitted to band cover

OPTIONS

- Spray mist cooling system (requires compressor)
- Roller track and measuring systems

TECHNICAL INFORMATION

MODEL	SRA320 A	
Capacities		
Tube at 90°	mm	320
Square Section at 90°	mm	300
Rectangular Section / Beam at 90°	mm	320 x 300
Blade Size	mm	3660 x 27 x 0.9
Bed Height	mm	640
Cutting Speed	m/min	20 - 100
Motor	kW	1.5
Length	mm	1850
Width	mm	850
Height	mm	1250
Weight	Kg	660
Operation		Automatic
Vice		Manual

OTHER IMAGES

