

STERLING STC810 SA TWIN COLUMN SEMI-AUTOMATIC BAND SAW

The Sterling twin column band saw models begin with a wide range of semi-automatic models in capacities from 325mm to a massive 1300mm tube cutting capacity. With this extremely rigid twin column design, the bow travels on precision linear guides offering exceptional precision in the cut. All models feature hydraulic vices, hydraulic downfeed and bow return as standard. Infinitely variable blade speed allows the cutting of a wide range of material types, including more exotic materials.

FEATURES

- Exceptionally heavy construction
- Twin column design with linear guidance system
- Hydraulic downfeed with variable cutting pressure
- Hydraulic bow return with height adjustment
- Mitre 45° right by turning vice clamps
- Hydraulic vice
- Carbide blade guides for high accuracy
- Infinitely variable cutting speed
- Coolant system
- Safety interlock switches fitted to band cover

OPTIONS

- Hydraulic blade tension
- Hydraulic top clamps
- Chip conveyor
- Spray mist lubrication (requires compressor)
- Laser cutting line
- Rapidex mitring base
- Roller track and measuring systems

TECHNICAL INFORMATION

MODEL	STC810 SA	
Capacities		
Tube at 90°	mm	810
Square Section at 90°	mm	810
Rectangular Section / Beam at 90°	mm	850 x 810
Tube at 45°	mm	480
Square Section at 45°	mm	480
Rectangular Section / Beam at 45°	mm	480 x 810
Blade Size	mm	8200 x 41 x 1.3
Bending Height	mm	585
Cutting Speed	m/min	20 - 100
Motor	kW	4.0
Length	mm	3900
Width	mm	1200
Height	mm	2350
Weight	Kg	3080
Operation		Semi-automatic
Vice		Hydraulic

OTHER IMAGES

