

STERLING STC1110 SA TWIN COLUMN SEMI-AUTOMATIC BAND SAW

The Sterling twin column band saw models begin with a wide range of semi-automatic models in capacities from 325mm to a massive 1300mm tube cutting capacity. With this extremely rigid twin column design, the bow travels on precision linear guides offering exceptional precision in the cut. All models feature hydraulic vices, hydraulic downfeed and bow return as standard. Infinitely variable blade speed allows the cutting of a wide range of material types, including more exotic materials.

FEATURES

- Exceptionally heavy construction
- Twin column design with linear guidance system
- Hydraulic downfeed with variable cutting pressure
- Hydraulic bow return with height adjustment
- Mitre 45° right by turning vice clamps
- Hydraulic vice
- Carbide blade guides for high accuracy
- Infinitely variable cutting speed
- Coolant system
- Safety interlock switches fitted to band cover

OPTIONS

- Hydraulic blade tension
- Hydraulic top clamps
- Chip conveyor
- Spray mist lubrication (requires compressor)
- Laser cutting line
- Roller track and measuring systems

TECHNICAL INFORMATION

MODEL	STC1110 SA	
Capacities		
Tube at 90°	mm	1110
Square Section at 90°	mm	1110
Rectangular Section / Beam at 90°	mm	1110 x 1110
Blade Size	mm	10500 x 67 x 1.6
Bed Height	mm	545
Cutting Speed	m/min	20 - 100
Motor	kW	11.0
Length	mm	4800
Width	mm	1500
Height	mm	2975
Weight	Kg	10440
Operation		Semi-automatic
Vice		Hydraulic

OTHER IMAGES

