

## STERLING SRA320 GSAL SEMI-AUTOMATIC BAND SAW



The Sterling SRA320 GSAL semi-automatic model features a single mitring head design with the ability to mitre up to 60 degrees. With its long bow design, it not only caters for up to 610mm maximum cutting width at 90 degrees, but also benefits from the ability to cut tube of up to 320mm diameter at a 45 degree mitre.

## FEATURES

- Auto downfeed with variable cutting pressure
- Powered bow return with automatic height adjustment
- Mitring swivel head 60° left
- Hydraulic vice
- Carbide blade guides for high accuracy
- Infinitely variable cutting speed
- Coolant system
- Safety interlock switches fitted to band cover

## OPTIONS

- Spray mist cooling system (requires compressor)
- Roller track and measuring systems

## TECHNICAL INFORMATION

MODEL	SRA320 GSAL		
<b>Capacities</b>			
Tube at 90°	mm	320	
Square Section at 90°	mm	320	
Rectangular Section / Beam at 90°	mm	610 x 320	
Tube at 45°	mm	320	
Square Section at 45°	mm	320	
Rectangular Section / Beam at 45°	mm	355 x 320	
Tube at 60°	mm	260	
Square Section at 60°	mm	225	
Rectangular Section / Beam at 60°	mm	280 x 200	
Blade Size	mm	4160 x 34 x 1.1	
Bed Height	mm	740	
Cutting Speed	m/min	20 - 100	
Motor	kW	2.2	
Length	mm	2100	
Width	mm	1200	
Height	mm	1350	
Weight	kg	1195	
Operation		Semi-Automatic	
Vice		Hydraulic	

OTHER IMAGES

