

**STERLING SRA320 GSA SEMI-AUTOMATIC BAND SAW**

The Sterling SRA320 GSA and GSAL semi-automatic models feature a single mitring head design with the ability to mitre up to 60 degrees. The SRA320 GSAL with its long bow design not only caters for up to 610mm maximum cutting width at 90 degrees but also benefits from the ability to still cut tube of up to 320mm diameter at a 45 degree mitre.

## FEATURES

- Auto downfeed with variable cutting pressure
- Automatic bow return with height adjustment
- Mitring swivel head 60° right
- Hydraulic vice
- Carbide blade guides for high accuracy
- Infinitely variable cutting speed
- Coolant system
- Safety interlock switches fitted to band cover

## TECHNICAL INFORMATION

MODEL	SRA320 GSA		
<b>Capacities</b>			
Tube at 90°	mm	320	
Square Section at 90°	mm	320	
Rectangular Section / Beam at 90°	mm	350 x 320	
Tube at 45° R		260	
Square Section at 45° R		180	
Rectangular Section / Beam at 45° R		250 x 180	
Tube at 60° R		160	
Square Section at 60° R		150	
Rectangular Section / Beam at 60° R		150 x 150	
Blade Size	mm	3660 x 27 x 0.9	
Bed Height	mm	740	
Cutting Speed	m/min	20 - 100	
Motor	kW	1.5	
Length	mm	1900	
Width	mm	1200	
Height	mm	1350	
Weight	Kg	1015	
Operation		Semi-Automatic	
Vice		Hydraulic	

---

## OPTIONS

- Spray mist cooling system (requires compressor)
- Roller track and measuring systems

OTHER IMAGES

