

**MORGAN RUSHWORTH RGMS 1550.4 MECHANICAL GUILLOTINE SHEAR**

The RGMS range of powered mechanical guillotines are designed for fast and accurate cutting of sheet material. They are available in a wide range of widths and cutting capacities from 3 to 6mm based on mild steel. They are fitted as standard with Sheffield steel blades suitable for cutting both mild and stainless steel and a 750mm powered back gauge with a programmable NC control. Other features are a tee slotted squaring arm, flat front support arms and a support table with ball transfer units.

## FEATURES

- Very rigid welded steel frame
- Sheffield steel blades for mild or stainless steel cutting
- Blade gap adjustment according to sheet thickness and type
- Automatically activated hold down system to prevent sheet sliding during cutting
- 750mm powered back gauge with NC control
- Support table with ball transfers
- 1000mm ruled squaring arm with tee slot
- Flat front support arms
- Illuminated cutting area with shadow line
- Single or continuous cutting modes
- Foot pedal control

## OPTIONS

- Increase back gauge stroke to 1000mm
- Angle gauge
- Pneumatic sheet supports (requires compressor)
- Pneumatic sheet Supports with return to sender function (requires compressor)

## TECHNICAL INFORMATION

MODEL		RGMS 1550.4.0
Cutting Length	mm	1550
Cutting Capacity	mm	4
Cutting Angle		2°
Stroke Per Minute		31
Motor	kw	7.5
Table Width	mm	450
Table Height	mm	850
Backgauge Adjustment	mm	750
Length	mm	1950
Width	mm	2300
Height	mm	1300
Weight	kg	1500

OTHER IMAGES



Pictured with optional pneumatic sheet supports